

Measurement Partner Suite BZ-5503

from software version 4.7

Modular and optimized for the post-processing of measurement data, Measurement Partner Suite provides essential post-processing tools for the noise and vibration professional.

The powerful combination of a Hand-held Analyzer Type 2250, 2250-L or 2270 with its range of sound and vibration applications, together with the Measurement Partner Suite software, equips you for any measurement task.

In its basic configuration, Measurement Partner Suite provides a data viewing and maintenance platform for your hand-held analyzer. Included in the basic, unlicensed configuration: Measurement Partner Field App for remote control of the analyzer during field measurements, and access to MP Cloud for data archiving and sharing. Advanced post-processing functionality is available on a time-limited subscription basis.



140045/1

Uses and Features

Uses

- PC software for Hand-held Analyzer Type 2250, 2250-L or 2270
- Maintenance of analyzer software
- Archiving and sharing of data
- Post-processing of measurement data

Features

Basic (free) features:

- Download of data from the analyzer using USB cable, LAN network or MP Cloud
- Management, viewing and archiving of data from the analyzer
- Viewing of data in archives and cloud archives
- Export of data to other platforms such as Microsoft® Excel®
- Merging of annotations from Field App with measurement data from the analyzer
- Management of software updates and licences for your analyzer and Measurement Partner
- Remote control and viewing of the analyzer
- Playback of WAV files

Licensed features:

- Marker wizard for marking of logging profiles
- Individual octave band logging profiles
- Tone assessment (1/3-octave, FFT)
- Spectrum calculator including post-weighting of spectra and FFT to 1/3-octave conversion
- Edit and export WAV files
- FFT-based tone analysis of WAV files
- Dedicated support of selected local legislation (for example, BS-4142:2014 UK)
- Scheduled data transfer


Why Measurement Partner Suite?

You have just been out in the field performing your measurements and now you are back in the office ready to write your report. Often there is a lot more work to do before you can prepare a report. From calculating your results to preparing your report, the post-processing phase can be time-consuming, labour-intensive and sometimes risky in regards to potential errors. In many instances, the post-processing and reporting phases of a project are actually longer than the measurement itself.

Basic Functionality

Fig. 1
Transfer and archive data quickly and easily

Download Data to Archives



You can download data from your analyzer to any archive by connecting the analyzer to a PC running Measurement Partner Suite, either using the supplied USB cable or via wired/wireless LAN or remote connection. Or, if you have saved your data on an SD card, you can insert the SD card in a card reader.

Alternatively, you can transfer your measurement data to Measurement Partner Suite using MP Cloud. Data can be uploaded directly to an archive in MP Cloud from an analyzer with Internet connection. Your data is then waiting for you when you open Measurement Partner Suite.


Fig. 2
Scroll through measurements in a project and view the individual data in graph format

View Measurement Data



Once downloaded to Measurement Partner Suite, your data is displayed in every detail to help you understand which post-processing tasks are required to extract what you need from your data.

Fig. 3
Viewing GPS
coordinates in Google
Maps™ directly in
Measurement Partner
Suite



Within Measurement Partner Suite, GPS coordinates can be seen in Google Maps™ with a single right-click.


Measurement Partner Cloud

Types 2250, 2250-L and 2270 can connect to the Internet and send measurement data directly to MP Cloud, where projects are immediately available for analysis. Only authorized users have access to the data when it is the MP Cloud.

You can create a Cloud account by visiting the MP Cloud Web service at cloud.bksv.com. You open an account, register your analyzer serial number and perform a one-time pairing of analyzer and account, ensuring data security. You can also administer access to the account from the Web service and order subscriptions to increase account capacity.

Share Data

Fig. 4
Share your data with
colleagues and clients
using MP Cloud



Sharing data could not be easier using MP Cloud – simply grant access to the colleagues or partners you want to be able to share the archive with.

Alternatively, data can be shared using the Pack-and-Go feature and sent via email where the B7Z file creates its own archive in the recipient's Measurement Partner Suite.

Measurement Partner Field App

Fig. 5
Using Measurement
Partner Field App



Whenever you stand next to your analyzer to operate it, you disturb the sound field. The Measurement Partner Field App allows you to operate your analyzer from a safe distance. Wirelessly connect to the analyzer using a 3G modem or wireless LAN adapter (such as UL-1050 for G4 analyzers; UL-1016 for G3).

Once connection is made, you are ready to start, stop and pause your measurement from a safe distance. For noise measurements, the instantaneous LAF profile is displayed on the Field App. For vibration measurements, the fast instantaneous (Fast inst.) profile is shown.

You can then keep an eye on the status of your measurement without being close to the analyzer, which is particularly important when low noise levels are being measured such as for indoor measurements.

Add Annotations

While your analyzer is measuring, you can perform all necessary annotations with the Field App: notes, images, GPS, voice commentaries and even video, using your smart device.

Fig. 6
View and edit
annotations collected
with the field app




When the measurement is complete, the Field App uploads the annotations to MP Cloud, where they are ready for merging with the appropriate analyzer project or to be sent to a folder. Once merged, annotations can be found in the right-side panel of Measurement Partner Suite as well attached to the profile for Logging users.

Licensed Functionality

Scheduling Data Transfers


Fig. 7
Scheduling data
transfer



If you are connecting remotely with your analyzer over longer periods, you can schedule automatic data downloads at predetermined times using the Schedule Data Transfer feature.

Adding Markers to a Logging Profile

Fig. 8
Marking a logging
profile using the
Marker and Report
wizard



The Marker and Report wizard makes it easy to add or modify exceedance, exclude, event, level, sound or user-defined markers. The markers can be defined based on a number of criteria such as noise level or wind speed and direction data collected with weather stations MM-0316 or MM-0256.


The Marker and Report wizard also allows you to redefine the measurement data's report period as many times as needed. Report periods can be any length that does not exceed the duration of the measurement. You can also create your own marker names using marker properties.

Tone and Impulse Assessment

To determine whether limits have been exceeded, you must identify which portions of the logging profile are relevant for further analysis. Tone and impulse content can often be critical when determining whether limits have been exceeded. Measurement Partner Suite can perform tone assessment and impulse assessment based on criteria that you define.


Fig. 9
Perform tone
assessment

Tone Assessment



Perform tone assessment on FFT or 1/3-octave spectra using either ISO 1996–2:2007 or DM 16-03-1998 and view complete tone assessment details in the Tone Table. Prominent tones are automatically identified.

Support of Local Legislation



Measurement Partner Suite supports UK, French and German users with a turnkey solution for calculating the rating level according to the local legislation in each of these countries.

In the UK, BS-4142:2014 determines how the rating level calculation is performed. Dedicated markers (specific, residual and background) send selected portions of measurement projects to a results section where users

can work interactively with their data to calculate rating level. Tone and impulse assessment according to BS-4142:2014 are fully supported.

When an environmental assessment is performed in France, the primary legislation used to guide consultants and authorities in their measurements is Emergence. Emergence is divided into two types: ICPE (#IPPC) and neighbourhood noise. Tones are assessed according to Tonalité Marquée. These standards are all supported in Measurement Partner Suite. Should some French users still be working to the Août 85 standard (old Emergence), this is also supported.

Environmental assessments are performed in Germany according to the TA Lärm (technical instruction on noise control). TA Lärm defines the rating level formulas and the exceedance criteria referencing DIN 45641 (averaging of sound levels) and DIN 45680 (measurement and evaluation of low-frequency environmental noise). The actual calculation according to TA Lärm is done in Microsoft® Excel® using the official Excel macro provided by the DIN committee.

Measurement Uncertainty Tool

Measurement Uncertainty (Table 1 in ISO 1996-2:2007(E))					
Standard Uncertainty [dB]					
Due to instrumentation I	Due to operating conditions X	Due to weather and ground conditions Y	Due to residual sound Z	Combined Standard Uncertainty ot [dB]	Expanded Measurement Uncertainty ±2ot [dB]
1.0	0.0	1.5	0	1.8	3.6

Any measurement is meaningless without an uncertainty or tolerance associated with it, and noise measurements are no exception: measurement uncertainty should be stated in the report. The Measurement Partner Suite solution is based on the methodology presented in ISO 1996-2:2007 and is designed to support your measurement uncertainty calculations.

Calculating Statistical Parameters

Measurement Partner Suite offers the option of calculating broadband and spectral statistics in post-processing, even when this has not been done on the analyzer. LN logged octaves can even be shown in the profile view when this option is selected in the calculation settings.

Post-processing Spectra

Sometimes during post-processing you will need to adjust the way your frequency data is presented. This is done in the Calculations tab where you can perform basic calculations, adjust the frequency weighting of the data and even convert FFT to 1/3-octave.

Basic Calculations


Fig. 10
Select the Calculations tab to perform basic spectrum calculations



Perform basic spectrum calculations using the Calculations tab. For example, subtract background noise from a noise level measurement or add numerous individual spectra together to ascertain the combined noise spectrum result.

Change Frequency Weighting of Spectra


Fig. 11
Frequency weighting added to spectra



If your data was measured with Z-weighting and you need to apply either C- or A-weighting, then this can be done in the Spectrum view during post-processing.

Working with WAV Files


Fig. 12
Perform tone assessment on the WAV file itself



Your analyzer stores signal recordings as WAV files, which can be edited in Measurement Partner Suite. Measurement Partner Suite includes a set of tools for post-processing of WAV files recorded with Signal Recording Option BZ-7226. Users with BZ-7226 on the analyzer can perform a tone assessment on the WAV file itself. You can even select the portion or portions of the WAV file on which your analysis is based.

Fig. 13
Exporting a WAV file


Edit WAV Files



The edited WAV files can be exported for further post-processing in other programs such as Brüel & Kjær's BK Connect.

Licensing and Subscriptions

Fig. 14
Licence tab where licences are viewed and managed



Measurement Partner Suite is the PC software for your hand-held analyzer. The basic functionality comes free of charge and provides data archive, review and export capabilities, as well as software maintenance and remote connection.

The advanced post-processing functionality can be added to Measurement Partner Suite as a time-limited subscription. There are two licencing methods available:

- **Method 1:** Licences can be locked to instrument serial numbers allowing licence files to be shared freely and copied to any PC where Measurement Partner Suite is installed. Each subscription product relates to one instrument only, so if you have two instruments and you need to analyse data from both, then you will need two licences. This method of licencing suits users with one, or just a few instruments, and is available as 1, 3 or 5 year licences
- **Method 2:** Licences can be locked to a PC dongle. This allows you to post-process data from an unlimited number of instruments, as long as the dongle is attached to the PC. In this case, licence files cannot be freely shared amongst users, only when a dongle is attached to the PC is the functionality available. This method of licencing suits users with many instruments and is available as 3 or 5 year licences

In the user interface, functionality is enabled as long as the licence is valid. As a licence nears its expiry date, a warning is shown during start-up. Contact your Brüel & Kjær representative to renew your subscription.

New to Measurement Partner? – Licenced Demo Data

Measurement Partner is designed to be intuitive and easy to use. However, new or occasional users may need help operating the software.

If you are new to Measurement Partner Suite, one way to learn is to experiment with the fully licenced demo data. When working with the demo data you will have unlimited access to all the licenced functionality allowing you to play with all the features of Measurement Partner Suite before deciding whether to subscribe.

Overview of Free Features and Licenced Functionality

	Free	Licenced Functionality (Post-processing Module BZ-5503)
Manage archives	X	X
Upgrade analyzer	X	X
Licence install on analyzer	X	X
Export (78XX, XML, ASCII)	X	X
Template maintenance	X	X
User Maintenance	X	X
List view (small graphs of projects, total values LAEq, etc.)	X	X
Online display	X	X
Add/view annotations on projects/job folders/templates	X	X
Export annotations (project and profile annotations)	X	X
Pack-and-Go files (export/import)	X	X
Send mail	X	X
View projects (CPB, Logging, etc.)	X	X
Search	X	X
Noise rating curves	X	X
Display wind speed and/or direction on profile	X	X
Change LN percentiles	X	X
Synchronize analyzer time	X	X
Rating level calculation according to: UK legislation BS-4142:2014; French Legislation (Emergence, Août 85); and German Legislation (TA Lärm)	X	X
View logged octaves in profile		X
Scheduler for downloads (pause/resume; version 4 analyzer software required)		X
Export region from profile		X
New/edit/delete markers		X
Marker calculations		X
Marker wizard (weather, tone and impulses)		X
Report wizard		X
Annotations and attachments on markers		X
Configure marker		X
Export marker calculation data		X
Generate spectral statistics		X
Weather markers (average wind speed and direction and report periods)		X
Marker: level exceedance		X
Post-weight spectra		X
1/3- to 1/1-octave conversion		X
Calculation (add/subtract/compare octave spectra, background correction) on CPB or FFT spectra		X
Tone assessment for CPB or FFT spectra		X
Tone assessment for WAV files		X
Advanced export of signal recordings (scale, remove excluded areas and join recordings)		X
Measurement Partner Field App	X	X
MP Cloud	X	X

For more information, please visit www.bksv.com.

Specifications – Measurement Partner Suite BZ-5503

BZ-5503 is included with Types 2250, 2250-L and 2270 for easy synchronization of setups and data between the PC and hand-held analyzer. BZ-5503 is supplied on ENV DVD BZ-5298

System

SYSTEM REQUIREMENTS

Operating System: Windows® 7, 8.1 or 10 (all in 32-bit or 64-bit versions)

DISPLAY

1024 × 768 (1280 × 800 recommended)

RECOMMENDED PC

- Intel® Core™ i3
- Microsoft® .NET 4.5
- 2 GB of memory
- Sound card
- DVD drive
- At least one available USB port
- Solid State Drive

Interface to the Hand-held Analyzer

CONNECTION

USB, LAN or Internet connection

HAND-HELD ANALYZER SOFTWARE UPGRADES AND LICENSES

The software controls analyzer software upgrades and licencing of the analyzer applications

LICENCE MOVER

To move a licence from one analyzer to another use BZ-5503 together with Licence Mover VP-0647

REAL-TIME DISPLAY OF TYPE 2250/2250-L/2270 DATA

Measurements on the analyzer can be controlled from the PC and displayed online with the PC, using the same user interface on the PC as on the analyzer

Data Management

Explorer: Facilities for easy management of analyzers, users, jobs, projects and project templates (copy, cut, paste, delete, rename, create)

Data Viewer: View measurement data (content of projects)

Synchronization: Project templates and projects for a specific user can be synchronized between PC and analyzer and between local and cloud archives. Measurement Partner Suite BZ-5503 merges Measurement Partner Field App annotations with the corresponding analyzer project

EXPORT FACILITIES

Excel®: Projects (or user-specified parts) can be exported to Microsoft® Excel® (Excel 2003 – 2016 supported)

Brüel & Kjær Software: Projects can be exported* to Predictor-LimA Type 7810, Acoustic Determinator Type 7816, Protector Type 7825, Qualifier (Light) Type 7830 (7831), and BK Connect

User Interface

LANGUAGE

User interface in Chinese (People's Republic of China), Chinese (Taiwan), Croatian, Czech, Danish, English, Flemish, French, German, Hungarian, Japanese, Italian, Korean, Polish, Portuguese, Romanian, Russian, Serbian, Slovenian, Spanish, Swedish, Turkish and Ukrainian

HELP

Concise context-sensitive help in English

* Not all data are available in all exports. The data exported are dependent on the type and target of the export.

Ordering Information

BZ-5503-012	Post-processing Module, 1 year subscription for one instrument
BZ-5503-036	Post-processing Module, 3 year subscription for one instrument
BZ-5503-060	Post-processing Module, 5 year subscription for one instrument
BZ-5503-N36	Post-processing Module, 3 year subscription for any instrument (dongle)
BZ-5503-N60	Post-processing Module, 5 year subscription for any instrument (dongle)

OPTIONAL ACCESSORIES

VP-0647	Licence Mover
---------	---------------

Brüel & Kjær and all other trademarks, service marks, trade names, logos and product names are the property of Brüel & Kjær or a third-party company.

Brüel & Kjær Sound & Vibration Measurement A/S
DK-2850 Nærum · Denmark · Telephone: +45 77 41 20 00 · Fax: +45 45 80 14 05
www.bksv.com · info@bksv.com
Local representatives and service organizations worldwide

Although reasonable care has been taken to ensure the information in this document is accurate, nothing herein can be construed to imply representation or warranty as to its accuracy, currency or completeness, nor is it intended to form the basis of any contract. Content is subject to change without notice – contact Brüel & Kjær for the latest version of this document.

Brüel & Kjær 